

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	1	((device-to-device peer-to-peer) with authentication same MAC with address).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/23 18:41
L6	0	I3 and peer-to-peer with authentication same MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/23 18:39
L4	2	L2 and peer-to-peer with authentication same MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/23 18:39
L3	23959	370/245,352,389,401,432.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/23 18:39
L2	88803	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/23 18:37

S314	2	"5650771".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/23 16:45
S313	2	peer-to-peer with authentication with MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/21 14:05
S312	2	"7099934".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/21 12:31
S311	2	"6489968".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/21 12:21
S310	2	"20040095383"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/05/21 12:17
S290	2	"6886041".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/21 09:38

S289	3	(asynchronous near3 dispatch same queue).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 08:49
S288	5	"7707187".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 08:43
S287	6	asynchronous near3 dispatch with (CPU processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 08:39
S286	0	asynchronous adj method adj dispatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 08:29
S285	1	asynchronous near3 dispatch with classification	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 08:24
S284	109	asynchronous near3 dispatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/21 08:23

S283	18	asynchronous adj dispatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/21 08:23
S282	28	synchronous adj dispatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/21 08:01
S281	0	define with asynchronous adj dispatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/21 08:01
S280	18	asynchronous adj dispatch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/21 07:55
S279	2	"6834382".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 14:06
S278	18	("20020038348" "20020173981" "20030120593" "20030200234" "20040117490" "20040167984" "20040168184" "20040250129" "20050021467" "20050066353" "20060021065" "5603081" "5822434" "6275695" "6308212" "7003546" "7013303" "7035911").PN. OR ("7523211").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/20 11:00

S277	4	compar\$5 with (router gateway) with MAC with address same (authenticat\$5 access\$5) and (affiliat\$5 partner\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:53
S276	191506	compar\$5 with (router gateway) with MAC with address same (authenticat\$5 access\$5) (affiliat\$5 partner\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:52
S275	2	compar\$5 with (default) with MAC with address same (affiliat\$5 partner\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:52
S274	2	compar\$5 with (router gateway) with MAC with address same (affiliat\$5 partner\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:51
S273	6	compar\$5 same MAC same address same (affiliat\$5 partner\$5) same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:50
S272	2	compar\$5 same MAC same address same (affiliat\$5 partner\$5) same (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:49

S271	9	(inter-node inter-device) same authenticat\$5 and (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:44
S270	5	device-to-device same authenticat\$5 and (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:35
S269	1	device-to-device same authenticat\$5 and default with (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:35
S268	1	LAN adj ID with authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:32
S267	6	LAN adj identifier with authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:29
S266	4	LAN adj identifier same (accept\$5 refus\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 10:23

S265	0	LAN adj identifier with (accept\$5 refus\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 10:22
S264	1	device-to-device same authenticat\$5 and default with (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 10:20
S263	0	node-to-node same authenticat\$5 and default with (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 10:19
S262	0	node-node same authenticat\$5 and default with (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 10:19
S261	69	authenticat\$5 with default with (router gateway) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 09:43
S260	3	compar\$5 with LAN with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 09:41

S259	16	only with LAN with (accept\$5 refus\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 09:39
S258	2	identical with LAN with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 09:39
S257	7	local adj area adj network same authenticat\$5 same (default adj gateway)	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 09:29
S256	1	determin\$5 adj local adj area adj network same authenticat\$5	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 09:28
S255	2	identif\$5 adj local adj area adj network same authenticat\$5	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:44
S254	70	identif\$5 adj local adj area adj network	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:32

S253	0	identif\$5 adj local adj area adj network same (accept\$5 reject\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:31
S252	27	home with network with identif\$5 with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:12
S251	7	LAN with identif\$5 with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:09
S250	0	compar\$5 with LAN with identif\$5 with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:09
S249	1	compar\$5 with identify\$5 near3 network with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:07
S248	315	identify\$5 with network with (accept\$5 reject\$5) with (request\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/20 08:06

S219	6990	ssid	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/19 14:20
S218	3	"20050057341"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/19 11:39
S217	3	"20050068922"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/19 09:11
S216	2	"20060075130"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/19 09:09
S215	2	"20030033302"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/19 08:51
S214	3	"20060182451"	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/19 08:27

S213	13	default with (gateway router) with compar\$5 with mAC WITH address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 11:31
S212	1	(LAN local) with (remote internet WAN) with default with (gateway router) with compar\$5 with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 10:49
S211	2	"7290046".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 10:47
S210	1	10/520975	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 10:41
S209	14	(multipl\$5 plural\$5) with home with server with MAC with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 10:37
S208	70	determin\$5 near\$5 network with compar\$5 with (MAC (media adj access adj control) (link-layer adj address) (ethernet adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 09:51

S207	3398	determin\$5 near\$5 network same (MAC (media adj access adj control) (link-layer adj address) (ethernet adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2010/05/18 09:50
S162	3	"20050100025"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/23 07:03
S161	3	"20040109460"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/23 07:01
S160	2	"5802047".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/23 06:49
S159	2	"5802316".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/23 06:49
S158	3	"20050073963"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 14:03

S157	2	2005/0073963	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 14:03
S156	90	map\$5 with mAC adj address with ((local adj area adj network) LAN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 13:28
S155	25	map\$5 with ((local adj area adj network) LAN)with (ID (identifi\$5)) with rout\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 12:36
S154	2	determin\$5 with ((local adj area adj network) LAN) same home adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 12:27
S153	18	determin\$5 with ((local adj area adj network) LAN) and compar\$5 near\$5 MAC adj address same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 10:10
S152	0	determin\$5 with ((local adj area adj network) LAN) same compar\$5 near\$5 MAC adj address same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 10:10

S151	45846	determin\$5 with ((local adj area adj network) LAN) same compar\$5 near\$5 MAC address same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 10:10
S150	39	datalink near\$3 address with MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 09:42
S149	300	determin\$5 with ((local adj area adj network) LAN) same (router gateway) same ((Ip adj address)(MAC adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/20 08:22
S143	3	"20050097321"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/19 13:40
S142	1	"20050097321"	USPAT	OR	OFF	2009/11/19 13:40
S141	1	"7562304".pn.	USPAT	OR	OFF	2009/11/19 13:18
S112	2	"20030217275"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/18 13:24

S110	2	file with non-stream\$5 with stream with application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/18 11:01
S109	29	match\$5 with local with area with network with (identification address) with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/18 10:46
S108	0	match\$5 with local with area with network with (identification address) same device near4 (location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/18 10:46
S107	0	match\$5 with local with area with network with (identification address) with device with (location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/18 10:45
S106	2	"6665772".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/11/18 10:42
S105	2	"20060155857"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/24 06:45

S104	1	"6477590" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/24 06:40
S103	62	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination adj address and S102	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 16:24
S102	330	(home default) near4 (gateway router proxy)and (determin\$5 identify\$5) near4 (LAN (local adj area adj network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 16:23
S101	2	"6,914,879" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 16:06
S100	47	(home default) near4 (gateway router proxy) same (MAC link ethernet hardware)near4 address same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 15:35
S99	93	(home default) near4 (gateway router proxy) same S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:32

S98	490	(home default) near4 (gateway router proxy) and S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:32
S97	3508	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) adj address same destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:32
S96	4495	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:31
S95	6766	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:31
S94	7587	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:31
S93	6757	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:31

S92	6757	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:30
S91	0	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) adj address near7 destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:30
S89	7774	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address near7 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:28
S88	9817	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:28
S87	387607	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address saem destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:28
S86	72	(home default) near4 (gateway router proxy) same MAC and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:19

S85	1	S83 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:19
S84	1540	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:18
S83	42	(home default) near4 (gateway router proxy) same MAC same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:12
S82	23	(home default) near4 (gateway router proxy) same MAC and ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:10
S81	11718	(home default) near4 (gateway router proxy) saem MAC and ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:10
S80	12601	(home default) near4 (gateway router proxy) saem MACand ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:10

S79	135	(home default) near4 (gateway router proxy) and ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 14:09
S78	8	(home default) near4 (gateway router proxy) same ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:52
S77	32	(home default) near4 (gateway router proxy)same (determin\$5 identify\$5) near4 (LAN (local adj area adj network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:49
S76	1	11/925628	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:47
S75	1	10/846614	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:47
S74	2	"6782474".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:47

S73	1	10/520736	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:46
S72	3	"6807542".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:46
S71	2	"6046992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:45
S70	3	"7114070".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:44
S69	1	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same (gateway router proxy) same (determin\$5 identify\$5) near4 (LAN (local adj area adj network)) and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:10
S68	2	"6552997".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 13:10

S67	2	"6047325".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 11:03
S66	2	"6405248".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 10:28
S65	2	"20020052972"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 10:26
S64	4	"2002052972"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 10:26
S63	3	"20020080800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 10:23
S62	0	"2002/080800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 10:22

S61	5	"2002080800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 10:22
S60	18	authenticat\$6 same intra-domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:36
S59	1036	authenticat\$6 same domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:36
S58	0	authenticat\$6 same (layer-2 layer2) near5 domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:36
S57	125	authenticat\$6 same layer-2 layer2 near5 domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:35
S56	2	"6631137".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:26

S55	74	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same (gateway router proxy) same (determin\$5 identify\$5) near4 (LAN (local adj area adj network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:23
S54	30	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address and (inter-device inter-host inter-network device-device device-to-device) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 09:10
S53	6	(home default) adj (router gateway) and (inter-device inter-host inter-network) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:56
S52	1	packet near5 default adj (router gateway) and device-to-device same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:55
S51	9	authentica\$6 near5 default adj (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:46
S50	201	packet near5 default adj (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:07

S49	0	(accept refus\$5) near5 packet near5 default adj (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:07
S48	117	packet near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:03
S47	0	(refus\$5)near5 packet near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 08:03
S46	75	MAC near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 07:56
S45	0	accept\$5 near5 MAC near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 07:56
S44	0	accept\$5 near5 packet near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 07:56

S43	1	10/846614	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/23 07:54
S42	1	router same analyz\$5 same port same configuration same bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 15:08
S41	105	router same analyz\$5 same port same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 15:08
S40	128	default near3 (router gateway) same MAC adj address and (local home) adj (server network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 14:42
S39	24	default near2 (router proxy gateway stub) same (extranet internet) same intranet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 14:02
S38	18	default near2 (router proxy gateway stub) same source adj address same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 13:20

S37	451	default near2 (router proxy gateway stub) same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 13:20
S36	6	default near2 (router proxy gateway stub) same (Local adj area adj network) same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 13:17
S35	134	default near2 (router proxy gateway stub) same (Local adj area adj network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 13:13
S34	2	default near2 (router proxy gateway stub) same ((layer-2 adj address)(ethernet adj address)(link-layer adj address) (MAC adj adress)) same authenticat\$5 same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 13:06
S33	0	default near2 (router proxy gateway stub) with ((layer-2 adj address)(ethernet adj address)(link-layer adj address) (MAC adj adress)) same authenticat\$5 same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 13:05
S32	121	default near2 (router proxy gateway stub) same authenticat \$5 same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 11:16

S31	36	device-to-device same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 11:09
S30	18	compar\$5 same source adj address same (gateway proxy router (edge adj router)) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 11:02
S29	0	compar\$5 same source adj address same default same (gateway proxy router (edge adj router)) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 11:02
S28	0	compar\$5 same source same (MAC (media adj access adj control) link-layer ethernet laYER -2) adj address AND default same (gateway proxy router (edge adj router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 11:01
S27	0	compar\$5 same source same (MAC (media adj access adj control) link-layer ethernet laYER -2) adj address same default same (gateway proxy router (edge adj router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 11:01
S26	3	"6807542".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 10:54

S25	7	access near5 home adj server and compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 10:52
S24	2	default near3 (router gateway) same access near5 home adj server	US-PGPUB; USPAT; USOOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 10:52
S23	2	default near3 (router gateway) same access near5 home adj server and compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 10:41
S22	53	default near3 (router gateway) same compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 10:25
S21	4	determin\$5 near5 identical near5 network same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 10:23
S20	2	"6046992".pn.	US-PGPUB; USPAT; USOOCR; FPPS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 09:37

S19	2	"20020161918"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/02/18 08:45
S18	8	intranet adj server and (default near3 (router gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/03/20 09:39
S17	0	intranet adj server same (default near3 (router gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/03/20 09:38
S16	4	intranet adj server same (home adj network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/03/20 09:38
S15	782	intranet adj server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/03/20 09:37
S14	13	default near3 (router gateway) same MAC adj address and intranet same server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	ON	2008/03/20 09:35

S13	50	default near3 (router gateway) same MAC adj address and home same server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:33
S12	108	default near3 (router gateway) same MAC adj address and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:13
S11	148	default near3 (router gateway) same MAC adj address and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:12
S10	2	"20050015619"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:09
S9	2	"6990534".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:04
S8	25175	370/254,255,351,352,389,390,392,401,432.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 09:00

S7	11	("5802316" "5987524" "6047325" "6115545" "6151635" "6167444" "6178455" "6195425" "6574664" "6665305" "6763023"),PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 15:47
S6	77	default near3 (router gateway) near10 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 15:02
S5	2665	default near3 (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 15:01
S4	964	associat\$5 same MAC adj address same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:50
S3	1	10/530075	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:34
S2	451	request\$5 same MAC same address same (gateway router) and (internal home) near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:00

S1	405	request\$5 same MAC same address same (gateway router) and (internal home) near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/03/19 14:00
----	-----	--	--	----	-----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	0	L8 and (device-to-device peer-to-peer) with authentication and MAC with address	USPAT; UPAD	OR	OFF	2010/05/23 18:43
L13	4	L7 and (device-to-device peer-to-peer) with authentication and MAC with address	USPAT; UPAD	OR	OFF	2010/05/23 18:43
L12	10	L10 and (device-to-device peer-to-peer) with authentication and MAC with address	USPAT; UPAD	OR	OFF	2010/05/23 18:42
L11	11836	370/245,352,389,401,432.cds.	USPAT; UPAD	OR	OFF	2010/05/23 18:42
L10	45971	709*\$ cds.	USPAT; UPAD	OR	OFF	2010/05/23 18:42
L8	0	((device-to-device peer-to-peer) with authentication same MAC with address).clm.	USPAT; UPAD	OR	OFF	2010/05/23 18:41
L7	4	((device-to-device peer-to-peer) with authentication same MAC with address	USPAT; UPAD	OR	OFF	2010/05/23 18:40

5/23/2010 6:44:34 PM

C:\Documents and Settings\apatel3\My Documents\EAST\Workspaces\10520975.wsp